

## MANGALAM CEMENT LTD.



Regd. A/D

MCL/Env. Audit / 2021-2022/90

Dt:15.09.2021

The Chief Environmental Officer, Circle: 04. U. P. Pollution Control Board. TC: 12V, Vibhuti Khand, Gomti Nagar, Lucknow, U.P. - 226010

Dear Sir,

#### Sub.: -Environmental Statement for the year 2020-2021

With reference to above subject, we are enclosing herewith an Environmental Statement Report of Aligarh Grinding Unit of M/s Mangalam Cement Ltd., Aligarh for the period from April-2020 to March-2021.

This is for your kind reference please. Kindly acknowledge the receipt at the earliest. Thanking you,

Yours faithfully

For M/s Mangalam Cement Ltd., Aligarh

S. K. Pokharna

Joint President (Tech)

Cc to: - Regional Officer,

U.P. Pollution Control Board,

J-1, Gyan Sarovar Colony,

Ram Ghat Road, Aligarh, (U.P.)

Aligarh Grinding Unit

K-1, CDF Complex, Anoop Shahar Road, Chherat Gaon, Aligarh - 202122 (U.P.)

Central Marketing Office 2nd Floor, Geejgarh Tower, Haws Sadak, Jaipur-302006 (Raj.)

Regd. Office & Works P.O.-Aditya Nagar, Morak, Distt. Kota-326520 (Raj.)

Tel 07459-232812, Fax : 07459-232156, Email : marketing@mangalamcement.com

CIN : L26943RU1976PLC001705 GSTIN : 09AABCM6602Q1Z2

Website: www.mangalamcement.com E-mail : aligarhgrinding@mangalamcement.com

#### FORM-V

#### **ENVIRONMENTAL STATEMENT**

(See rule 14)

## Environmental Statement for the financial year ending with 31st March 2021

#### PART-A

Name & address of the owner/ occupier of the industry/ operation or process	
Industry Category Primary – (STC Code) Secondary – (STC Code)	Red Category
Production capacity	Cement :- OPC-1.25 MTPA PPC-1.99 MTPA
Year of establishment	2016
Date of last environmental statement submitted	17.09.2020
	Industry Category Primary – (STC Code) Secondary – (STC Code) Production capacity  Year of establishment Date of last environmental

#### PART-B

Water and Raw Material Consumption:

I. Water consumption in m³/day

Process: - NA (As plant is based on Dry process technology)

Cooling: - 89.25 M<sup>3</sup>/day

Domestic:-16.29 M3/day

Name of Products	Process water consumption per unit of products		
	During Previousfinancial Year (2019-2020)	During the current financial Year (2020-2021)	
1. Cement	0.163	0.144	

## II. Raw material consumption (Cement Plant)

Name of raw materials*	Name of product	Consumption of raw material per unit of output		
		During Previousfinancial year (2019-2020)	During Current financial year (2020-2021)	
1. Fly Ash		0.299	0.281	
2. Gypsum	Cement	0.054	0.058	
3. Clinker		0.665	0.660	

<sup>\*</sup>Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

## Raw Material Consumption (D.G. Set)

Name of raw Name of		Consumption of r	Consumption of raw material (Ltr)		
materials*	product	During Previous financial year (2019-2020)	During Current financial year (2020-2021)		
H. S. Diesel	Power	2400	2810		

## iii) Power Consumption (KWh/ T of Cement):-

During Previous Financial Year	During Current Financial Year
32.57	
02.07	32.59

## iv) Total Production (MT):-

Production	During Previous Financial Year	During Current Financial Year	
Comont			
Cement	232335.85	226598.38	

## Total Power Generation (DG Set) (KWh)

Production	During Previous Financial Year	During Current Financial Year
Power Generation	6803	
	0603	7747

#### PART-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

Pollutants	Parameter	Quantity of Pollutants discharged(mass/ day)	Concentration ofPollutants in discharged(mass /volume)	Percentageofvariation from prescribed standards with reasons.
------------	-----------	---	---	---

a) Water		ant is being operated valed, no liquid effluen		thnology, total process the cement plant.
b) Cement Mill	PM	0.0081 Ton / day	18.60 mg/Nm <sup>3</sup>	No any deviation

#### PART-D

#### HAZARDOUS WASTES

(As specified under Hazardous Wastes (M, H& Transboundary Movement Rules, 2016).

		Total Qu		
Hazardous Wastes	During previous financial (2019-2020)	year	During Current financial year (2020-2021)	
1. From Process (Cement Manufacturing is	waste Management & Han	dling for	We have Authorization for I waste Management & Har Clinker Grinding Unit, D.G. se	ndling for
based on "Dry Process" no Hazardous waste is	from April 2019 to March 2020 (Ltrs.)	4000	Total Quantity Generated from April 2020 to March 2021 (Ltrs.)	2310
generated form the	Old stock (Ltrs.)	NIL	Old stock (Ltrs.)	NIL
process except	Total Used Oil (Ltrs.)	4000	Total Used Oil (Ltrs.)	2310
used oil which is drained from	Sold-out to registered recycler (Ltrs.)	4000	Sold-out to registered recycler (Ltrs.)	2310
Machinery/ Equipment)	Balance Quantity (Ltrs.)	NIL	Balance Quantity (Ltrs.)	NIL
Empty Barrel- 33.1	NIL	3	· Nil	
Processes Waste Sludge-23.1	NIL		NIL	
Cotton waste with oil-5.2	NIL		NIL	
Waste residue Containing oil -5.2	NIL		1T	
2. From pollution control facilities	NA		NA	119

#### PART-E

#### SOLID WASTE

Solid Wastes	Total Quantity (Kg)		
	During previous financial year (2019-2020)	During Current financial year (2020-2021)	
1. From Process	NIL	NIL	
2. From pollution control facilities	Dust Collected in the, bag house and bag filters are recy the system		
Quantity recycled or reutilised within the unit.	100 %	100 %	
ii) Solid	NIL	NIL	

iii) Disposed	NIL	NIL

#### PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

#### **Battery Waste:-**

As specified under Batteries (Management and Handling) Amendment Rules, 2010. We have purchased following new batteries of different categories for Cement plant Clinker Grinding Unit and DG Set -

Number of new batteries of omanufacturer / importer / deal			During 1 <sup>st</sup> April 2020 to 31 <sup>st</sup> March 2021.
for Cement Plant Clinker Grindi	ng unit and Do	5 Set	
Category	i) No.	Of Batteries	ii) Approximate weight (In MT
i) Automotive			
a) Four Wheeler		Nil	Nil
ii) Industrial			
a) UPS		Nil	Nil
Total		Nil	Nil

and Tonnag	used batteries of ca ge of scrap sent man recycler / or any of rap was sent.	nufacturer / deale	er / importer /	During 1 <sup>st</sup> April 2020 to 31 <sup>st</sup> March 2021.
for Cement	Plant Clinker Grindi	ng unit and DG Se	et	
	Category	iii) No. Of	Batteries	iv) Approximate weight (In MT)
i) /	Automotive	Ni	il	7 11
a) F	our Wheeler			
ii) I	ndustrial	Ni		Nil
a) (	JPS			
1	otal	Ni	1	Nil

Used battery scrap was sent to CPCB authorized recycler

#### Hazardous Waste:

Cement manufacturing is based on "Dry Process". No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & lead acid batteries are sold to CPCB authorized recyclers.

#### E- Waste:

E- Waste disposal for Cement plant Clinker Grinding Unit and DG Set, during financial year 2019 - 2020 and 2020-2021 under the E-Waste (Management) Rules 2016 & its amendments are as follows.

Total Quanti	ty Disposed
During Previous Financial Year	During current Financial Year

	(2019-2020)	(2020-2021)
E-waste disposed	Nil	· NIL

E-waste was sent to CPCB authorized recycler.

#### PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

M/s Mangalam Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The advantage of dry process is also in fuel economy. The stack emissions from the plant are controlled by equipment like Bag Houses. Bag filters installed at various material transfer points to clean the process and arrest the fugitive emissions. The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipment and hence no cost impact on the production cost.

#### PART - H

## Additional measures/investment proposal for environmental protection including abatement of pollution.

Green belt development and tree plantation is our on-going process. In the year 2020-2021 we have planted 4032 No's of native species and up to March 2021, in Clinker Grinding Unit and DG Set.

#### PART-I

#### MISCELLANEOUS:

## Any other particulars in respect of environmental protection and abatement of pollution.

- We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
- 2. Monitoring of stack emission and ambient air and water quality is being done regularly.
- Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
- 4. Civil Department is taking care of Housekeeping, water supply.
- Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation.

We are enclosing herewith following documents:-

Annexure - 1:- Stack Emission Monitoring Test Reports

Annexure - 2:- Ambient Air Quality (PM10, PM2.5, NOx and SO2)

Annexure - 3:- Ambient Noise Monitoring.

# Aligarh Grinding Unit (M/s Mangalam Cement Ltd.)

# Cement Mill Stack Monitoring Report 2020-2021

S. No.	Month	Measured Value (in mg/NM3)
Permissible Lin	nit	30
1	Apr-20	18.7
2	May-20	17.8
3	Jun-20	18.9
4	Jul-20	16.8
5	Aug-20	16.6
6	Sep-20	19.0
7	Oct-20	18.8
8	Nov-20	19.0
9	Dec-20	19.5
10	Jan-21	20.0
11	Feb-21	19.5
12	Mar-21	18.6
	Average	18.6
	Min	16.6
	Max	20.0

		į		
	-			
	-	5	2	
	5			

Maximum	Minimum	Average	Mar-21	Feb-21	Jan-21	Dec-20	Nov-20	Oct-20	Sep-20	Aug-20	Jul-20	Jun-20	May-20	Apr-20	Limits		Month	2000		
81.5	45.6	57.2	51.0	53.0	50.0	47.5	54.0	52.0	49.0	45.6	49.5	81.5	76.2	77.1	100	PM 10				
45.4	26.0	32.8	27.5	31.0	29.0	26.0	30.0	28.0	27.0	30.5	29.4	45.4	44.6	45.0	60	PM 2.5				
7.9	2.7	51.22	2.7	7.9	6.7	7.2	6.9	6.8	6.2	3.0	ω '4	3.8	4.0	3.8	80	502	Near Canteen			
12.9	10.0	11.5	11.2	11.1	10.0	11.9	10.9	11.1	11.2	11.5	12.2	12.2	12.9	12.1	80	NOx	een			
532.1	236.6	391.8	532.1	467.4	412.6	418.9	375.1	297.3	236.6	362.6	352.9	440.8	447.4	358.5	4000	co				
76.1	44.4	56.5	51.0	55.0	49.0	54.0	49.0	52.0	47.0	44.4	51.1	75.5	73.6	76.1	100	PM 10				W.A.
42.8	26.0	32.4	31.5	30.0	27.0	33.0	29,5	28.0	26.0	29.0	29.2	40.0	42.8	42.3	60	PM 2.5	Nea		AMB	Dist: Aligarh (U.P.)
7.3	2.7	5.0	2.7	7.3	6.6	7.0	6.6	6.5	6.3	3.1	3.2	3.7	3,6	3.9	80	S02	Near CDF Building-I		AMBIENT AIR QUALITY (All values in µg/m3)	M CEMI
12.4	8.7	10.8	10.5	9.6	8.7	10.8	10.1	11.1	11.3	11.0	10.8	11.3	12.4	11.8	80	NOx	lding-i	Yea	JR QUA	Dist: A
472.4	233.4	352.7	472.4	406.4	348.7	354.8	307.9	245.9	233.4	340.4	365.4	381.4	396.0	379.3	4000	co		Year, 2020-21	TITY (	Dist: Aligarh (U.P.)
86.0	47.5	59.4	50.0	47.5	53.0	51.0	49 0	52.0	53,0	50.7	54.3	86.0	82.0	84.2	100	PM 10		21	III value	U.P.)
50.2	26.8	34.5	29.0	26.8	32.0	27.0	28.0	31.5	29.0	30,8	30.8	50.2	49.5	49,8	60	PM 2.5	Nea		s in μg/	1 Grindi
7.9	2.8	5.4	2.8	7.9	6.8	7.5	7.2	6.7	6.4	3.2	4.0	4.1	4.2	3.9	80	S02	Near Packing Plant		m3)	ng UNI
13.1	10.1	11.6	11.1	10.4	10.1	11.11	10.8	11.2	11.1	12.4	12.5	12.5	12.3	13.1	80	NOx	Plant			F),
458.0	237.6	347.3	455.7	378.3	297.3	339.2	279.8	257.0	237.6	359.8	327.9	458.0	443.2	333.4	4000	co				
78.7	47.2	58.0	52.0	49.0	51.0	56.0	53.0	55.0	49.0	47.2	50.8	78.7	75.6	78.5	100	PM 10				
46.6	26.5	33.7	27.0	26.5	28.3	33.0	30.0	31.8	29.0	32.1	29.8	45.4	45.3	46.6	60	PM 2.5	Near			
7.2	2.7	5.0	2.7	12 12	6.5	7.0	7.0	6.3	6.0	3.0	3.5	3.7	3.8	3.7	80	S02	Near CDF Building II			
11.8	8.6	10.7	9.6	9.2	8.6	11.2	11.3	11.5	11.6	10.8	10.5	11.6	11.8	10.7	80	NOx	ling II			
412.6	232.0	321.6	412.6	376.7	323.7	293.9	270.4	236.2	232.0	320.9	315.4	3923	405.7	279.3	4000	co		3		

# MANGALAM CEMENT LIMITED, (Aligarh Grinding UNIT), Dist: Aligarh (U.P.)

## AMBIENT NOISE MONITORING REPORT

Year, 2020-21

	Measured Noise Level (in dBA)													
Date	Near (	Canteen	Near CDF	Building-I	Near Pag	king Plant	Near CDF Building-I							
	Day	Night	Day	Night	Day	Night	Day	Night						
Limits	75.0	70.0	75.0	70.0	75.0	70.0	75.0							
Apr-20	68.7	66,3	67.9	9 66.9 70.8 68.9		68.9	67.4							
May-20	69.2	67.1	69.0	66.6	70.7 68.6 68.9		68.9	66.7						
Jun-20	69.5	67.1	68.7	.7 66.4 70.4 6		68.1	68.47	65.95						
Jul-20	69.0	67.0 67.		65.5	70.5 67.4		67.63	66.08						
Aug-20	69.4	67.3	68.1	66.1	66.1 70.6 67.8 68		68.32	66						
Sep-20	66.2	61.7	64.9	61.0	61.0 66.0 61.9 64.6		64.6	60.3						
Oct-20	68.2	62.9	66.5	61.6	61.6 68.3 63.3 65.4		65.4	60.6						
Nov-20	69.3	64.0	67.5	62.3	68.5	63.8	68.0	62.5						
Dec-20	69.9	65.3	68.0	63.8	69.4	64.3	68.6	63.8						
Jan-21	67.9	62.3	66.3	60.0	68.2	62.4	65.6	59.5						
Feb-21	67.6	62.1	66.4	58.9			67.1	59.3						
Mar-21	69.0	63.8	68.8	63.5 69.6 64.6		67.5 61.								
Average	68.7	64.7	67.5	63.6	69.2	65.2	67.4	63.3						
Minimum	66.2	61.7	64.9	58.9	66.0	61.2	65.4	59.3						
Vlaximum	69.9	67.3	69.0	66.9	70.8	68.9	68.6	63.8						